

References for Geriatric Vestibular

Andersen BB, Gundersen HJG, Pakkenberg B. Aging of the human cerebellum: a stereological study. *J Comp Neurol* (2003) **466**:356–65. doi:10.1002/cne.10884

Anson E and Jeka J (2016) Perspectives on Aging Vestibular Function. *Front. Neurol.* 6:269

Applebaum EV, Breton D, Feng ZW, et al. (2017). Modified 30-second Sit to Stand test predicts falls in a cohort of institutionalized older veterans. *PLoS One.* 12(5):e0176946.

Anagnostou E, Kouzi I, Spengos K. Diagnosis and Treatment of Anterior-Canal Benign Paroxysmal Positional Vertigo: A Systematic Review. *J Clin Neurol.* 2015;11(3):262-267. doi:10.3988/jcn.2015.11.3.262

Anson E, Jeka J. Perspectives on Aging Vestibular Function. *Front Neurol.* 2016;6:269. Published 2016 Jan 6. doi:10.3389/fneur.2015.00269

Batyecas-Caletrio A., Trinidad-Ruiz G. Zschaeck C et al. Benign Paroxysmal Positional Vertigo in the Elderly. *Gerontology.* 2013;59(5):408-412. doi:10.1159/000351204.

Balatsouras DG, Koukoutsis G, Fassolis A, Moukos A, Apris A. Benign paroxysmal positional vertigo in the elderly: current insights. *Clin Interv Aging.* 2018;13:2251–2266. Published 2018 Nov 5.

Bronstein A. Lempert T. Dizziness. A practical approach to diagnosis and management. Cambridge, Cambridge University Press, 2007, 174.

Byun H, Chung JH, Lee SH, Park CW, Kim EM, Kim I. Increased risk of benign paroxysmal positional vertigo in osteoporosis: a nationwide population-based cohort study. *Sci Rep.* 2019;9(1):3469. Published 2019 Mar 5. doi:10.1038/s41598-019-39830-x

Carmel PW, Markesbery WR. Arnold-Chiari Malformation in an Elderly Woman. *Arch Neurol.* 1969;21(3):258–262. doi:10.1001/archneur.1969.00480150048006

Chau AT, Menant JC, Hübner PP, Lord SR, Migliaccio AA. Prevalence of Vestibular Disorder in Older People Who Experience Dizziness. *Front Neurol*. 2015;6:268. Published 2015 Dec 24. doi:10.3389/fneur.2015.00268

Chu LC, Yang CC, Tsai HT, Lin HC: A simple algorithm for treating horizontal benign paroxysmal positional vertigo. *Otol Neurotol* 2014;35:1621-1625.

Duncan, R. P., Leddy, A. L., et al. (2013) "Comparative utility of the BESTest, mini-BESTest, and brief-BESTest for predicting falls in individuals with Parkinson disease: a cohort study." *Phys Ther* 93(4): 542-550.

Faldon M.E., Bronstein A.M. Head accelerations during particle repositioning manoeuvres. *Audiol. Neurootol*. 2008;13:345–356.

Fritz S. Lusardi M. (2010). White Paper: Walking Speed: the Sixth Vital Sign. *Journal of Geriatric Physical Therapy* 32(2): 2-5.

Gleeson M, Felix H. A comparative study of the effect of age on the human cochlear and vestibular neuroepithelia. *Acta Otoaryngol Suppl* (1987) 436:103–9. doi:10.3109/00016488709124982 4.

[Halker, R.](#), Barrs, D., Wellik, K., [Wingerchuk, D.](#), Demaerschalk, B. (2008). Establishing a diagnosis of benign paroxysmal positional vertigo through the dix-hallpike and side-lying maneuvers: a critically appraised topic. [Neurologist](#). 2008 May;14(3):201-4.

Harun, Aisha, et al. "Vestibular Function and Activities of Daily Living: Analysis of the 1999 to 2004 National Health and Nutrition Examination Surveys." *Gerontology and Geriatric Medicine*, Jan. 2015, doi:[10.1177/2333721415607124](https://doi.org/10.1177/2333721415607124).

Hillier, S.L., McDonnell, M.(2011). Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. *Cochrane Database Systematic Review*. 2, CD005397.

Hodge, Rose L., "Promoting the Recognition of Depression in the Geriatric Population" (2020). *Walden Dissertations and Doctoral Studies*. 8460.

Horak, F.B., Jones-Rycewicz C., Black, F.O., Shumway-Cook, A. (1992) Effects of vestibular rehabilitation on dizziness and imbalance. *Otolaryngology Head Neck Surgery*. 106:175.

Iwasaki S, Yamasoba T. Dizziness and Imbalance in the Elderly: Age-related Decline in the Vestibular System. *Aging Dis*. 2014;6(1):38–47. Published 2014 Feb 9. doi:10.14336/AD.2014.0128

Jeong SH, Kim JS. Impaired Calcium Metabolism in Benign Paroxysmal Positional Vertigo: A Topical Review. *J Neurol Phys Ther*. 2019;43 Suppl 2:S37-S41.

Klatt, B.N., Ries, J.D., Dunlap, P.M., Whitney, S.L., Agrawal, Y. (2019). Vestibular Physical Therapy in Individuals with Cognitive Impairment: A Theoretical Framework. *Journal of Neurologic Physical Therapy*. 43(4):S14-S19.

Korn GP, Doriqueto RS, Gananca MM, Caovilla HH. (2007) Epley's maneuver in the same session in benign positional paroxysmal vertigo. *Brax J Otorhinolryngol*. 73,533-539.

Lea J, Pothier D (eds): Vestibular Disorders. Adv Otorhinolaryngol. Basel, Karger, 2019, vol 82, pp 143-149. doi: 10.1159/000490283

Liston MB, Bamiou D-E, Martin F, Hopper A, Koohi N, Luxon L, et al. Peripheral vestibular dysfunction is prevalent in older adults experiencing multiple non-syncopal falls versus age-matched non-fallers: a pilot study. *Age Ageing* (2014) **43**:38–43

Lopez I, Ishiyama G, Tang Y, Tokita J, Baloh RW, Ishiyama A. Regional estimates of hair cells and supporting cells in the human crista ampullaris. *J Neurosci Res* (2005) 82:421–31. doi:10.1002/jnr.20652

Maheu M, Houde M-S, Landry SP and Champoux F (2015) The effects of aging on clinical vestibular evaluations. *Front. Neurol*. 6:205.

Park JJ, Tang Y, Lopez I, Ishiyama A. Age-related change in the number of neurons in the human vestibular ganglion. *J Comp Neurol* (2001) **431**:437–43. doi:10.1002/1096-9861(20010319)431:4<437::AID-CNE1081>3.0.CO;2-P

Rosenhall U, Rubin W. Degenerative changes in the human vestibular sensory epithelia. *Acta Otoaryngol* (1975) 79:67–80. doi:10.3109/00016487509124657 3

Takahara M, Fujiwara Y, Sakamoto F, et al.(2014). Assessment of vibratory sensation with a tuning fork at different sites in Japanese patients with diabetes mellitus. *J Diabetes Investig.* 5(1):90–93.

Taylor RR, Jagger DJ, Saeed SR, Axon P, Donnelly N, Tysome J, et al. Characterizing human vestibular sensory epithelia for experimental studies: new hair bundles on old tissue and implications for therapeutic interventions in ageing. *Neurobiol Aging* (2015) 36:2068–84. doi:10.1016/j. neurobiolaging.2015.02.013

Thomas JJ, Lane JV. A pilot study to explore the predictive validity of 4 measures of falls risk in frail elderly patients. *Arch Phys Med Rehabil* 2005;86:1636-40.

Verdecchia DH, Monzón AM, Urbina Jaimes V, Oliveira FR, Paiva LDS, de Carvalho TD.(2018). Patient-Reported and Performance Outcomes Significantly Improved in Elderly Patients with Vestibular Impairment following Rehabilitation: A Retrospective Study. *J Aging Res.* 8:1-8.

von Brevern M, Radtke A, Lezius F, et al. Epidemiology of benign paroxysmal positional vertigo: a population based study. *J Neurol Neurosurg Psychiatry.* 2007;78(7):710–715.

Wallman H. Comparison of elderly nonfallers and fallers on performance measures of functional reach, sensory organization, and limits of stability. *J Gerontol A Med Sci.* 2001;56:m580–m583

